

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**Trade name **Vinylidene chloride**

Stock number: L14308

CAS Number: 75-35-4

EC number: 200-864-0

Index number: 602-025-00-8

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20-40: Harmful by inhalation. Limited evidence of a carcinogenic effect.

F+; Extremely flammable

R12: Extremely flammable.

Carc. Cat. 3

Information concerning particular hazards

for human and environment:

Not applicable

Other hazards that do not result in classification

No information known.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

Hazard pictograms

Signal word

Hazard statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS07, GHS08

Danger

H224 Extremely flammable liquid and vapour.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation: 75-35-4 Vinylidene chloride

Identification number(s):

200-864-0

EC number:

602-025-00-8

Index number:

Additional information:

Stabilized with:
4-Methoxyphenol (CAS# 150-76-5)**SECTION 4: First aid measures****4.1 Description of first aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contactSeek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly.**After eye contact**Seek immediate medical advice.
Rinse opened eye for several minutes under running water. Then consult doctor.**After swallowing**

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Trade name **Vinylidene chloride**

(Contd. of page 1)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
Suitable extinguishing agents CO₂, sand, extinguishing powder. Do not use water.
- 5.2 Special hazards arising from the substance or mixture**
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
- 5.3 Advice for firefighters**
Protective equipment: Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
- 6.2 Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.
- 6.3 Methods and material for containment and cleaning up:** Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Prevention of secondary hazards:** Keep away from ignition sources.
- 6.4 Reference to other sections** See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling** Keep containers tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.
- Information about protection against explosions and fires:** Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
- 7.2 Conditions for safe storage, including any incompatibilities**
Storage
Requirements to be met by storerooms and containers: Refrigerate
- Information about storage in one common storage facility:** Store away from oxidizing agents.
Store in the dark.
Protect from heat.
- Further information about storage conditions:** Keep container tightly sealed.
Protect from heat and direct sunlight.
Protect from the effects of light.
Refrigerate
- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems:** Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****75-35-4 Vinylidene chloride (100,0%)**

- AGW (Germany) 8 mg/m³, 2 ppm
2(II);DFG, Y
- REL (USA) See Pocket Guide App.A
- TLV (USA) 20 mg/m³, 5 ppm

Additional information: No data**8.2 Exposure controls**

- Personal protective equipment**
General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
- Breathing equipment:** Use breathing protection with high concentrations.
- Protection of hands:** Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Material of gloves** Impervious gloves
- Penetration time of glove material** Not determined
- Eye protection:** Safety glasses
- Body protection:** Face protection
Protective work clothing.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

- General Information**
Appearance:
- Form:** Liquid
- Colour:** Colourless
- Smell:** Not determined
- Odour threshold:** Not determined.
- pH-value:** Not determined.

(Contd. on page 3)
DE/E

Trade name **Vinylidene chloride**

(Contd. of page 2)

Change in condition
Melting point/Melting range: -123 °C
Boiling point/Boiling range: 30-32 °C
Sublimation temperature / start: Not determined

Flash point: -25 °C
Inflamability (solid, gaseous) Not applicable.
Ignition temperature: 440 °C
Decomposition temperature: Not determined
Self-inflamability: Not determined.
Critical values for explosion:
Lower: 5,6 Vol %
Upper: 13 Vol %
Steam pressure at 20 °C: 667 hPa
Density at 20 °C 1,213 g/cm³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.
Solubility in / Miscibility with
Water at 25 °C: 2,5 g/l
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
dynamic: Not determined.
kinematic: Not determined.
9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No information known.
10.2 Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions No dangerous reactions known
10.5 Incompatible materials: Oxidizing agents
Heat
Light
10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)

SECTION 11: Toxicological information

11.1 Information on toxicological effects
Acute toxicity: Harmful if inhaled.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

Oral LD50 200 mg/kg (rat)

Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effect known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.
Carcinogenicity: Suspected of causing cancer.
EPA-S: Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential.
IARC-3: Not classifiable as to carcinogenicity to humans.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this product.
Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Experience with humans: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity No further relevant information available.
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
Additional ecological information:
General notes: Do not allow material to be released to the environment without proper governmental permits.
Water danger class 3 (Assessment by list): extremely hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into soil.
Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Revision: 01.08.2011

Printing date 02.07.2013

Trade name **Vinylidene chloride**Uncleaned packagings:
Recommendation:

Disposal must be made according to official regulations.

(Contd. of page 3)

SECTION 14: Transport informationUN-Number
ADR, IMDG, IATA

UN1303

14.2 UN proper shipping name
ADR
IMDG
IATA1303 VINYLIDENE CHLORIDE, STABILIZED
VINYLIDENE CHLORIDE, STABILIZED, MARINE POLLUTANT
VINYLIDENE CHLORIDE, STABILIZED14.3 Transport hazard class(es)
ADRClass
Label
IMDG3 (F1) Flammable liquids.
3Class
Label
IATA3 Flammable liquids.
3Class
Label3 Flammable liquids.
3Packing group
ADR, IMDG, IATA

I

14.5 Environmental hazards:
Marine pollutant:Yes (P)
Symbol (fish and tree)14.6 Special precautions for user
Kemler Number:
Segregation groupsWarning: Flammable liquids.
339
Liquid halogenated hydrocarbons14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC
Code

Not applicable.

Transport/Additional information:

ADR

Exempted quantities (EQ):
Limited quantities (LQ)
Transport category
Tunnel restriction codeE3
LQ3
1
D/E

UN "Model Regulation":

UN1303, VINYLIDENE CHLORIDE, STABILIZED, 3, I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical

Substances

Substance is listed.

Standard for the Uniform Scheduling of

Drugs and Poisons

Substance is not listed.

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Classification according to VbF:

A 1

Technical instructions (air):

Class	Share in %
I	100,0

Water hazard class:

Water danger class 3 (Assessment by list): extremely hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical

Substances)

Substance is not listed.

Substances of very high concern (SVHC)

according to REACH, Article 57

REACH - Pre-registered substances

Substance is not listed.

15.2 Chemical safety assessment:

Substance is listed.
A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organization
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 P: Marine Pollutant
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

DE/E